
## Large Round Washer Head w/ Phillips Recess



LARGE ROUND WASHER PHILLIPS RECESS DEEP THREAD WOOD SCREW													
			A	В	Н		Р		D		Т		
	Nominal Diameter	Washer Diameter		Head Diameter	Total Head Height		Recess Depth		Major Diameter		Threaded Length		Recess Size
И		Max	Min	Ref	Max	Min	Max	Min	Max	Min	L≤1"	L > 1"	
Œ	8	0.500	0.472	0.300	0.130	0.118	0.093	0.066	0.168	0.161	Full thread	2/3 thread	#2
Е													
Γ			Up to 5/8"								+0 / -0.03		
L	Toleranc	e on	Over 5/8 to 1.5"								+0 / -0.05		
	Lengt	:h	Over 1.5 to 2.75"								+0 / -0.06		
			Over 2.75 to 5"								+0 / -0.09		

Description	An externally threaded fastener with a dome-shaped head and an integrally formed washer; a recess that can accomodate a Phillips screwdriver; and a single lead thread. The head is approximately 33% larger than that of a typical round washer screw of the same nominal diameter. The shank has a reduced diameter.							
Applications / Advantages	The deeper thread design offers greater resistance to pull-out forces. The extra large head (a) allows for precise adjustment when aligning multiple drawer fronts to one another, and (b) offers a greater bearing surface than a countersunk design.							
Material	C1022 case-hardened steel							
Surface Hardness	Rockwell C 45 minimum							
Case Depth	0.004" - 0.009"							
Torque	35 kg/cm minimum							
Plating	See Appendix-A for plating information							